

## Section 1 – Identification of the Material and Supplier

Freudenberg Home & Cleaning Solutions  
Pty Ltd

Phone: 1300 669 686 (business hours)

Trading as Research Products  
13-21 Maygar Boulevard  
Broadmeadows, Vic, 3047

Fax: (03) 9359 9509

Email: [csvic@fhp-ww.com](mailto:csvic@fhp-ww.com)

Website: [www.oates.com.au](http://www.oates.com.au)

Chemical nature:

Liquid hydrocarbon.

Trade Name:

**SAFE DE-WAX**

Product Use:

Solvent. Wax remover/thinner.

Creation Date:

August, 2013

This version issued:

September 2021 and is valid for 5 years from this date.

## Section 2 – Hazards Identification

### GHS Pictogram

GHS08: Health hazard.



### GHS Signal word: DANGER

#### HAZARD CLASSIFICATION

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS).

Aspiration hazard – Category 1

Flammable liquids – Category 4

#### HAZARD STATEMENT:

H227: Combustible liquid.

H304: May be fatal if swallowed and enter airways.

AUH066: Repeated exposure may cause skin dryness or cracking.

#### PREVENTION

P102: Keep out of reach of children.

P210: Keep away from flames and hot surfaces – No smoking.

P280: Wear protective gloves/eye protection/face protection.

P264: Wash contacted areas thoroughly after handling.

#### RESPONSE

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand).

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

P331: Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF EXPOSED OR CONCERNED: Get medical advice.

P370+P378: IN CASE OF FIRE: Use foam, water spray or fog.

#### STORAGE

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

#### DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

## SAFETY DATA SHEET

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

FREUDENBERG HOME & CLEANING SOLUTIONS PTY LTD

ABN 99 082 274 324

13-21 Maygar Boulevard, Broadmeadows Vic 3047

Customer Service: 1300 669 686 | Website: [www.oates.com.au](http://www.oates.com.au)

PUBLIC

## Emergency Overview

**Physical Description & Colour:** Clear, colourless liquid.

**Odour:** Characteristic hydrocarbon odour.

**Major Health Hazards:** May be fatal if swallowed and enter airways. Repeated exposure may cause skin dryness or cracking.

**SUSMP Classification:** S5 (CAUTION).

## Potential Health Effects

### Inhalation:

**Short Term Exposure:** Available data indicates that this product is irritating, although unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term inhalation.

### Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product is irritating, but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** Repeated exposure may cause skin dryness or cracking.

### Eye Contact:

**Short Term Exposure:** This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Because of the low viscosity of this product, it may directly enter the lungs if swallowed, or if subsequently vomited. Once in the lungs, it is very difficult to remove and can cause severe injury or death. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

## Section 3 – Composition/Information on Ingredients

| Ingredients                                | CAS No     | Conc., % | TWA (mg/m <sup>3</sup> ) | STEL (mg/m <sup>3</sup> ) |
|--|------------|----------|--------------------------|---------------------------|
| Distillates, petroleum, hydrotreated light | 64742-47-8 | > 80     | not set                  | not set                   |

\* Commercially pure. May include small quantities of materials due to manufacturing or reaction processes.

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## Section 4 – First Aid Measures

### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

## SAFETY DATA SHEET

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

FREUDENBERG HOME & CLEANING SOLUTIONS PTY LTD

ABN 99 082 274 324

13-21 Maygar Boulevard, Broadmeadows Vic 3047

Customer Service: 1300 669 686 | Website: [www.oates.com.au](http://www.oates.com.au)

**Eye Contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

## Section 5 – Fire Fighting Measures

**Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. This product is classified as a C1 combustible product. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. Cool closed, undamaged containers exposed to fire with water spray.

**Flash point:** > 75°C

**Upper Flammability Limit:** 4.9-5.5%

**Lower Flammability Limit:** 0.5-0.6%

**Autoignition temperature:** No data.

**Flammability Class:** C1 (Combustible liquid)

## Section 6 – Accidental Release Measures

**Accidental release:** This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

## Section 7 – Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Note that this product is combustible and therefore, for Storage, meets the definition of Dangerous Goods in some states. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage.

Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Keep containers of this product in a well ventilated area. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

## Section 8 – Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

**SWA Exposure Limits**

**TWA (mg/m<sup>3</sup>)**

**STEL (mg/m<sup>3</sup>)**

Exposure limits have not been established by SWA for this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

# SAFETY DATA SHEET

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

FREUDENBERG HOME & CLEANING SOLUTIONS PTY LTD

ABN 99 082 274 324

13-21 Maygar Boulevard, Broadmeadows Vic 3047

Customer Service: 1300 669 686 | Website: [www.oates.com.au](http://www.oates.com.au)

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber, PVC.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

## Section 9 – Physical and Chemical Properties:

|   |  |
|---|--|
| <b>Physical Description &amp; colour:</b> | Clear, colourless liquid.                      |
| <b>Odour:</b>                             | Characteristic hydrocarbon odour.              |
| <b>Boiling Point:</b>                     | Approx. 200-240°C.                             |
| <b>Freezing/Melting Point:</b>            | No data .                                      |
| <b>Volatiles:</b>                         | No specific data. Expected to be low at 100°C. |
| <b>Vapour Pressure:</b>                   | 0.07kPa at 20°C                                |
| <b>Vapour Density:</b>                    | No data.                                       |
| <b>Specific Gravity:</b>                  | 0.776  |
| <b>Water Solubility:</b>                  | Negligible.                                    |
| <b>pH:</b>                                | No data.                                       |
| <b>Volatility:</b>                        | No data.                                       |
| <b>Odour Threshold:</b>                   | No data.                                       |
| <b>Evaporation Rate:</b>                  | No data.                                       |
| <b>Coeff Oil/water Distribution:</b>      | No data  |
| <b>Autoignition temp:</b>                 | 250°C  |

## Section 10 – Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Keep containers tightly closed. Containers should be kept dry. Keep containers and surrounding areas well ventilated.

**Incompatibilities:** oxidising agents.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

## Section 11 – Toxicological Information

### Health Effects – Acute

**Swallowed:** Harmful if swallowed. Ingestion may cause lung damage if swallowed. Ingestion of this product will irritate gastric tracts causing nausea and vomiting. Aspiration into lungs may result in pneumonitis or pulmonary oedema.

**Eye:** Will causes eye discomfort, but will not injure eye tissue.

**Skin:** Prolonged and repeated skin contact may cause skin cracking and/or dermatitis due to defatting effect.

**Inhaled:** Inhalation may causes irritation to the mucus membranes and the upper airways, especially where vapours or mist is generated. Could have anaesthetic or other central nervous system effects. Symptoms include coughing, wheezing, shortness of breath, headache, dizziness, nausea and vomiting.

## SAFETY DATA SHEET

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

FREUDENBERG HOME & CLEANING SOLUTIONS PTY LTD

ABN 99 082 274 324

13-21 Maygar Boulevard, Broadmeadows Vic 3047

Customer Service: 1300 669 686 | Website: [www.oates.com.au](http://www.oates.com.au)

### Classification of Hazardous Ingredients

| Ingredient                                 | Hazard Statements  |
|--|--|
| Distillates, petroleum, hydrotreated light | H227: Combustible liquid.<br>H304: May be fatal if swallowed and enters airways. |

### Section 12 – Ecological Information

Insufficient data to be sure of status. Expected to not be an environmental hazard.

**For Distillates, petroleum, hydrotreated light:**

**Persistence and degradability:** Readily biodegradable, oxidises rapidly by photo-chemical reactions in air. Long term adverse effects on the environment is not expected.

**Mobility:** The Naphtha solvent is highly volatile and will rapidly evaporate into the air.

**Additional information**

**Environmental fate (exposure):** Avoid contaminating waterways, drains and sewers.

**Bioaccumulative potential:** Has the potential to bioaccumulate.

**Ecotoxicity:** Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.

### Section 13 – Disposal Considerations

**Disposal:** Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

### Section 14 – Transport Information

**ADG Code:** This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

### Section 15 – Regulatory Information

**AICS:** This product is compliant with NICNAS regulations.

The following ingredient: Naphtha (petroleum), hydrotreated heavy, is mentioned in the SUSMP.

### Section 16 – Other Information

**Revision:** 4

**Revision Date:** 01 September 2021

**Reason for Issue:** SDS updated.

**This SDS contains only safety-related information. For other data see product literature.**

**Emergency Contact: Phone 13 11 26 (Australia wide)**

#### Acronyms:

|                     |   |
|---------------------|---|
| <b>ADG Code</b>     | Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)                     |
| <b>AICS</b>         | Australian Inventory of Chemical Substances   |
| <b>SWA</b>          | Safe Work Australia, formerly ASCC and NOHSC  |
| <b>CAS number</b>   | Chemical Abstracts Service Registry Number  |
| <b>Hazchem Code</b> | Emergency action code of numbers and letters that provide information to emergency services especially firefighters |
| <b>IARC</b>         | International Agency for Research on Cancer   |
| <b>NOS</b>          | Not otherwise specified   |
| <b>NTP</b>          | National Toxicology Program (USA)   |
| <b>R-Phrase</b>     | Risk Phrase   |
| <b>SUSMP</b>        | Standard for the Uniform Scheduling of Medicines & Poisons  |
| <b>UN Number</b>    | United Nations Number   |

Please read all labels carefully before using product.

## SAFETY DATA SHEET

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

FREUDENBERG HOME & CLEANING SOLUTIONS PTY LTD

ABN 99 082 274 324

13-21 Maygar Boulevard, Broadmeadows Vic 3047

Customer Service: 1300 669 686 | Website: [www.oates.com.au](http://www.oates.com.au)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This SDS is prepared in accord with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), 7<sup>th</sup> Edition

**End of Safety Data Sheet**

Discontinued

---

## SAFETY DATA SHEET

Poisons Information Centre: 13 11 26 from anywhere in Australia, (0800 764 766 in New Zealand)

FREUDENBERG HOME & CLEANING SOLUTIONS PTY LTD

ABN 99 082 274 324

13-21 Maygar Boulevard, Broadmeadows Vic 3047

Customer Service: 1300 669 686 | Website: [www.oates.com.au](http://www.oates.com.au)